

 **FUJIFILM**
OFFICIAL IMAGING SPONSOR



FUJI MEDICAL DRY IMAGER

DRYPix 3000

new



DryPix 3000 Thermal Dry Imager

New Generation Quality

FUJIFILM MEDICAL DRY IMAGER
DRYPIX 3000

Compact

Fits anywhere, allowing maximum freedom of placement within the medical facilities.

Quiet

Almost silent, will not distract the operator.

14" x 17" Film Throughput

Prints up to 50 films/hour with 14" x 17" (35 x 43cm) film.

Prolonged Head life - DuraTherm™


New thermal head eliminates the need for frequent replacement, ensuring stable performance for approx. extended printing life.

Connectivity to DICOM networks

Ideal for networking with built-in DICOM board.

Dimensions

unit: mm (in.)



Fuji Medical Dry Imager DRYPIX 3000

Recording method	Thermal head transfers heat while in contact with thermal film
Applicable film	Fuji Medical Dry Imaging Film DI-AT 35.6 x 43.2cm (14" x 17")
Film magazine	100 sheets
Film loading	Daylight film loading
Processing capacity	50 sheets/hour (14" x 17")
Gray scale	12 bits
Connectable image readers	FCR image readers and other various imaging modalities*
Input channels	One
Image memory	Approx. 56MB
Optional image memory	48MB (up to two can be added)
Density adjustment	Automatic
External dimensions (W x D x H)	585 x 655 x 375mm (23" x 26" x 15")
Weight	41 kg. (90lbs.)
Power supply	Input voltage: AC 100-240VAC Phase: single Frequency: 50/60Hz Rated current: 7-4A

Note: Specifications are subject to change without notice. * Consult your local Fujifilm representative for details of models and types.



The DRYPIX 3000 has received the UL/CE marks for meeting high safety standards.

FUJIFILM

FUJI PHOTO FILM CO., LTD.

26-30, NISHIAZABU 2-CHOME, MINATO-KU, TOKYO 106-8620, JAPAN